

## Classroom Sound Field Amplification: An Introduction

### Table of Contents

What is a Classroom Sound Field System? .....	2
Acoustical Barriers to Learning .....	2
Problem 1 – The Classroom Sound Environment .....	2
Problem 2 – Student Listening Difficulties .....	3
Problem 3 – Teacher Vocal Strain .....	4
Components of Sound Field Amplification Systems .....	5
Benefits of Classroom Amplification .....	6
Student Achievement .....	6
Student Attentiveness .....	8
Teacher Benefits .....	8
Conclusion .....	9
References .....	10

### Abstract

Several factors, including lively students, noise from computers and air-handling equipment, poor classroom acoustics, outside sounds, and minor hearing difficulties, can have a significant impact on a student's ability to hear the teacher clearly.

Classroom sound field amplification systems have been successfully used to help students with hearing impairments. Recent research has demonstrated that even students with normal hearing ability benefit when these systems are used in their classrooms.

This paper describes the basic components of a sound field system and summarizes research related to the benefits that can be realized when classroom amplification is used to support the delivery of effective classroom instruction.

white paper

## What is a Classroom Sound Field System?

A typical classroom sound field system consists of ceiling mounted speakers, a small, lightweight wireless microphone typically worn by the teacher, one or more receivers, and an amplifier. Some systems also include a secondary microphone that can be shared by the students when giving a presentation or reading aloud. The system amplifies the teacher's voice above ambient noise and evenly distributes the sound throughout the room. This creates what is called a "sound field." It enables teachers to be clearly heard by every student, without shouting or straining their voice.

## Acoustical Barriers to Learning

Teachers must overcome numerous acoustical barriers to learning in order to effectively deliver instruction to their students. Problems include conditions in and around the classroom, student learning disabilities, and teacher vocal strain. Schools that have implemented classroom sound field systems have reported success in overcoming many of these obstacles. What follows is an overview of the problems that sound field amplification systems are designed to address.

### Problem 1 – The Classroom Sound Environment

Many of the obstacles that interfere with a student's ability to hear the teacher stem from problems with the classroom sound environment. When noise levels in the classroom reach an unacceptable level, it is usually due to one or more of the following causes:

**Poor Classroom Acoustics:** One of the most important things to consider in classroom design is acoustical performance. Hard flat surfaces in the classroom, such as floors, walls, blackboards, and ceilings promote echo, which inhibits speech perception.

Research indicates that background noise and reverberation can adversely affect learning, especially for young children.<sup>1,2</sup> It is more difficult for younger students to hear individual sounds clearly, as when learning to read and spell, and their concentration is also compromised. Poor classroom acoustics create an especially challenging educational barrier for those children who have hearing loss, speech impairments, or learning disabilities, and whose native language differs from the teaching language.


A 1999 study<sup>2</sup> on classroom acoustics measured noise levels in 94 unoccupied classrooms. The study concluded that 91 of them, or 97 percent, exceeded the recommended acoustical standards. In 2002, the Acoustical Society of America approved ANSI/ASA S12.60-2002, Acoustical Performance Criteria, Design Requirements and Guidelines for Schools. The standard sets specific criteria for maximum background noise and reverberation and is consistent with long-standing recommendations for good practice in acoustical design.

**Noise Sources Within the Classroom:** Classroom ambient noise can be caused by talking students, shoes scuffling on the floor, chairs creaking and being moved around,



**Teachers must overcome numerous acoustical barriers to learning in order to effectively deliver instruction.**

## Word Recognition Scores Degrade with Distance from the Teacher



Studies show that spoken word recognition scores decrease systematically as the distance from the speaker to the listener increased.

paper shuffling, pencil sharpeners, loud ventilation systems, and computer and projector cooling fans. This background noise can lead to teacher voice fatigue.

**Distance From the Teacher:** How far the student sits from the teacher has a measurable impact on the student's ability to hear and understand what the teacher is saying. Studies show that students should be no more than six feet from the teacher for maximum speech intelligibility.<sup>3</sup> Unfortunately, achieving this distance for all students given typical class sizes is not practical.

One study looked at a group of children, ages 5-14, in an acoustically good classroom. Researchers found that spoken word recognition scores decreased systematically as the distance from the speaker to the listener increased. While students at a distance of 6 feet from the teacher achieved scores of 95 percent, the scores dropped to 60 percent for those students seated 24 feet away.<sup>4</sup>

**Noise Sources Outside of the Classroom:** Sources of noise outside the classroom can include traffic, aircraft, playgrounds, construction, and noise produced in other parts of the building, such as students in hallways, band practice, and impact noise from the room above. Occasional isolated noise from outside the classroom can cause a short-term disruption to communication, however, constant noise has a greater negative impact on speech intelligibility.

### Problem 2 – Student Listening Difficulties

It has been estimated that school-age children spend as much as 75% of the school day engaged in listening activities.<sup>5</sup> Unlike adults, whose listening abilities and skills have fully matured, young children require optimal conditions for hearing and comprehension. The brain's auditory network is not fully functional until about the age of 15.<sup>1</sup> Children do not cognitively process what they hear the same way adults do. For children, the teacher's voice needs to be at least 15 decibels louder than the background noise in the classroom.<sup>6</sup> This decibel difference is called the Signal-to-Noise Ratio, SNR. Comparatively, adults only require an SNR of 4 to 6 decibels. Research also shows that students learning English as a second language need a greater SNR than those whose native language is English.<sup>7</sup>

Unlike background noise which remains relatively constant around a room, the sound of the teacher's voice varies greatly depending on where that teacher is located and where the SNR is being measured.<sup>7</sup> This is because sound decreases over distance; specifically it drops 6 decibels for every doubling of distance. For example, a teacher speaking at an 60 decibels 3 feet out into the front of the classroom, will be heard at 54 decibels 6 feet into the room; 48 decibels 12 feet into the room and so on. Since the background noise levels remains essentially the same, this decline in the teacher's voice, means that the SNR will be declining over the distance of the room. At some point, that SNR will drop below +15 decibels, precluding some students from hearing.

Creating a learning environment with a favorable SNR is especially critical for children in the younger grades. These students are often engaged in activities that specifically focus on speech and sound recognition. Young, inexperienced learners have not yet developed the ability that adults have to adjust their hearing in noisy conditions that are unfavorable to listening, and they won't typically have that ability until they are 13-15 years old.<sup>8</sup>

For example, a teacher might say:

An insect has three body sections, three pairs of legs, antennae and wings. Draw a picture of an insect.

But a young learner might hear:

An --sect has --ree bo-y -ections, ---ee -airs of -egs, ante--- and wi---, -aw a pi---- of an -sect.

**A student's hearing and experience affect their ability to understand what is said.**

**How Many Students Have Trouble Hearing?:** The Mainstream Amplification Resource Room Study, commonly referred to as the MARRS Project, was a three-year longitudinal study conducted in the Wabash and Ohio Valley schools in southern Illinois.<sup>9, 10, 11, 12, 13</sup> Data obtained by MARRS Project staff revealed that 20% or more of the current school population have academic difficulties coexisting with minimal hearing loss. Approximately 43% of all K-12 students suffer from a temporary hearing loss on any given day and would fail a pure-tone screening at 15 dB hearing level and/or an immittance screening.<sup>14</sup> When placed in noisy classrooms or seated far away from the teacher, these students are at greatest risk of not hearing what is being said.

According to the MARRS study, the students who would benefit from classroom amplification include those who are:

- under the age of 15;
- sitting in the back of the class and may miss up to 30 percent of what the teacher says;
- struggling academically;
- in a noisy classroom environment;
- in a team teaching environment;
- learning under a soft-spoken teacher;
- learning disabled; and
- learning English as a second language.

### **Problem 3 – Teacher Vocal Strain**

Vocal strain is inevitable for teachers who have to teach all day in noise cluttered classrooms, raising their voice in order to be heard and maintain order. The learning must go on, in spite of the uninvited noise. Frequent complaints of teachers include symptoms of hoarseness, pain, and fatigue when speaking, as well as a temporary voice loss.<sup>15, 16</sup>

Even in classrooms with relatively low noise levels, teacher's must project their voices to be heard by all students. Often teachers are forced to project their voices well above a natural and healthy level. The result is higher than average throat and voice problems for teachers.

Research indicates that students typically increase their attention-to-task and show improved compliance when the teacher is in close physical proximity.<sup>17</sup> As we've discussed, close physical proximity is impossible to maintain for every student in the classroom. When a teacher is forced to repeatedly redirect students, often using a raised voice, it adds to teacher vocal strain and heightens the tension and anxiety among the children in the class. It is well known that some children's response to a loud, forceful command can be opposite to the desired behavior. A natural conversational voice level generally results in the most favorable response.

### Components of a Sound Field System

A classroom sound field system consists of a wireless microphone, receiver, amplifier, and speakers. The teacher's voice is picked up by the microphone and transmitted to a specialized receiver, which passes the signal on to an amplifier that sends it to speakers strategically placed in the classroom.

The primary purpose of the system is to ensure that the teacher's voice and program audio are clearly audible above the background sounds at all instructional locations within the room. Research has shown that in the average classroom, the teacher's voice usually arrives at the children at a level only 6 dB or so above the background sounds.<sup>18</sup> The goal of the sound field system is to amplify the teacher's voice to approximately 15 dB above the noise level of the classroom, enabling every student to hear as if the teacher is standing nearby.


An overview of each of the system components:

**Microphone:** For best results, the microphone should be lightweight enough to be worn on a lanyard around the teacher's neck or clipped to the teacher's clothing. Easy to use controls for volume, mute, and power will give the teacher ultimate control and the freedom to make adjustments while teaching. Wireless transmission is critical because microphone cables can get caught on desks and other objects and restrict the teacher's range of movement within the classroom. Additional features, such as inputs for a portable audio source and external boom or headset microphone, are desirable.

**Receiver:** The wireless receiver picks up the signal from one or more microphones in the classroom. Two types of wireless transmission technology are used in sound field applications. Radio frequency, or RF, employs electromagnetic radio waves to carry the signal. Each RF microphone operates on a specific broadcast channel. Since radio waves pass through walls and other objects, other wireless equipment operating on the same channel can cause interference even from more than half a mile away. The other type of technology uses infrared light, or IR, as the transmission mechanism. Infrared signals do not pass through walls and are not subject to RF interference, offering clear advantages over systems that use radio frequency.



Some of the components of a sound field system. Other components include speakers and a mixer/amplifier.




**For a typical classroom, use wide dispersion speakers for even coverage.**

**Amplifier:** When selecting a sound field system, an amplifier with certain specialized features should be considered. The amplifier should offer professional-grade performance as well as power and space efficiency. Desirable features include a compact size, multiple mounting options, and fanless, convection cooled operation. These valuable qualities make an amplifier ideal for low noise, restricted space, and low ventilation installations necessary in many classrooms. For maximum flexibility, an amplifier with sufficient power to handle small classrooms that require two to four speakers, as well as larger classrooms requiring six to eight speakers, should be considered.

**Speakers:** The purpose of the speakers in sound field applications is to accurately reproduce and evenly distribute the sound of the teacher’s voice and program audio throughout the entire classroom and evenly to each student. For best results, specify speakers with uniform frequency response and wide coverage angle. The speakers must have a uniform response across the entire range of human speech and music, otherwise the program audio and teacher’s voice will sound unnatural. In order to distribute sound evenly throughout the room with the minimum number of speakers, the optimum coverage angle for each speaker is 170 degrees. Ceiling mounted speakers are recommended for best coverage.

The speakers should be strategically placed in order for the student to achieve the most benefit from the system. They can be mounted in the ceiling, on the walls around the room, or at the room corners.



**Students in amplified classrooms achieve measurable increases in standardized test scores when compared with students in unamplified classrooms.**

- 2004 Trost Amplification Study, Canby, OR

## Benefits of Classroom Amplification

It is clear from the numerous studies in the area that the use of a classroom amplification system results in improvements in the classroom environment, student academic achievement, and teacher health. Studies show evidence of increased student attention, improved speech recognition, fewer distractions, and decreased off-task behavior. Schools that use classroom amplification technology have reported significant decreases in teacher absences due to voice fatigue and vocal strain. The use of classroom amplification has been embraced and supported by students, parents, and school staff.

What follows is a summary of results measured by research projects. Unless otherwise noted, results are based on students with normal hearing ability.

**Student Achievement:** Educators and researchers have documented measurable results in student achievement in classrooms that use voice amplification.

- In Minnesota, the reading, math, and spelling skills of second grade students were tested three times over six months in one unamplified and one amplified classroom. Students in the amplified classroom posted significantly greater gains in reading and spelling. No significant difference in gains in math scores was measured between the two groups.<sup>19</sup>

- A study comparing the standardized test scores of first, third, fourth, and fifth grade students in unamplified and amplified classrooms in Oregon<sup>20</sup> found that:
  - ◊ First grade students in the amplified classroom scored an average of 35 percent higher on the Dynamic Indicators of Basic Early Literacy Skills – DIBELS than students in the unamplified classroom.
  - ◊ The same group of first grade students in the amplified classroom scored an average of 21 percent higher on the Developmental Reading Assessment – DRA.
  - ◊ Third grade students in amplified classrooms scored an average of 21 percent higher on Oregon’s Technology Enhanced Student Achievement test and increased by an average of 32 words per minute in reading fluency.
  - ◊ Fourth and fifth graders in amplified classrooms averaged 35 percent higher in words per minute on a reading fluency test than students in unamplified classrooms.
- Three Utah first grade classrooms, in which 85% of the children were Native American, were studied in 2002.<sup>21</sup> In the 5 years prior to the installation of classroom amplification systems, only 44 to 48 percent of the students scored at the basic level or above on the Utah State Core Reading Test. After seven months in amplified classrooms, 74 percent of the students in the study scored at the basic level or above.
- A study on the impact of classroom amplification systems on urban, at-risk fourth and fifth grade students in Utah<sup>22</sup> revealed that use of the technology successfully reversed a two-year downward trend in achievement test scores. The students in amplified classrooms scored 10 to 15 percent higher than students in unamplified classrooms on the Stanford Achievement Test, including reading, language, math, science, and social studies subtests.
- When researchers studied the impact of classroom amplification on kindergarten to third grade students in nine rural school districts in Ohio, they observed significantly higher test scores for children in amplified classrooms. Students with classroom amplification systems achieved higher scores on Iowa Test of Basic Skills subtests, with the greatest gains made by younger students.<sup>23</sup>
- The results of a multi-year study of Orange County Public School students in Florida showed that, on average, students in amplified classrooms scored 10 percent higher on the Florida Comprehensive Assessment Test than students in classrooms without classroom amplification.<sup>16</sup>
- When first grade students in four amplified classrooms were compared with students in four unamplified classrooms in Broward County, Florida, researchers noted that the students in amplified classrooms—especially bilingual and special education students—achieved greater literacy gains than students in unamplified classrooms.<sup>25</sup>

- Amplification systems were shown to have a significant impact on high achieving students in Colorado.<sup>27</sup> During the first year of amplification, students who had previously scored in the eighth and ninth stanines on the Colorado Student Achievement Test increased an average of 3.6 percentage points. According to the school's principal, the increased test scores were attributable to the introduction of classroom amplification, since no other significant changes were made to the school's instructional program or staff during that time period.
- Classroom amplification systems in southern Illinois schools were researched as part of the MARRS Project.<sup>12, 13</sup> Researchers reported that the number of students referred to special education in kindergarten to sixth grade dropped by 43 percent in amplified classes of students with and without hearing impairment.
- Similarly, after classroom amplification was used in 37 classrooms over an eight-month period in Wisconsin, special education referral rates in kindergarten to fifth grade decreased by almost 50 percent.<sup>24</sup>

**Student Attentiveness:** Research has shown that improved classroom environments are a direct result of the use of classroom amplification.

- In 2000, a study comparing unamplified and amplified first grade classrooms in Broward County Public Schools in Florida reported that teachers in amplified classrooms observed positive changes in students' attentiveness and classroom participation.<sup>25</sup>
- In a paper presented in 1989 at the annual convention of the American Speech-Language-Hearing Association, a team of researchers presented their findings on sound field amplification in junior high classrooms and reported, "...improved attention and understanding in 11-14 year olds, as well as improved ease of listening and teaching."<sup>26</sup>
- The MARRS Project found that the use of classroom amplification systems results in easier classroom management related to increased student attention, decreased discipline problems, less student distraction, and less need to repeat instructions.<sup>12, 13</sup>
- First grade teachers in Minnesota observed that their students were "less distracted, more attentive," and required "less repetition of directions" after the introduction of amplification systems into their classrooms.<sup>27</sup>
- A study of Ohio first grade students in amplified classrooms demonstrated increased participation, productivity, and on-task behaviors.<sup>28</sup>
- Students in amplified elementary classrooms in Iowa displayed an average of 17 percent increase in overall on-task behavior. Students were found to be less distracted in amplified classrooms and required less redirection by the teacher.<sup>29</sup>

**Teacher Benefits:** Classroom amplification systems allow teachers to spend the day speaking at a natural level, which significantly reduces voice strain and vocal fatigue.

- Teachers in amplified classrooms in Iowa reduced their absenteeism by 36 percent, which was directly related to a decrease in vocal health issues, such as voice, jaw, and throat problems.<sup>30</sup>
- Florida teachers in amplified classrooms reported decreased vocal strain and fatigue, and a multi-year study in Florida's Orange County Public Schools found a 25 percent decrease in teacher absenteeism in amplified classrooms.<sup>2, 16</sup>
- Researchers in the MARRS Project found that voice fatigue and teacher absences due to vocal strain in amplified classrooms decreased from 15 percent to an average of 2 to 3 percent in one year.<sup>10, 13</sup>
- Studies have also shown that teachers who use classroom amplification systems enjoy virtually unlimited freedom to move around the classroom while maintaining a stable acoustic environment. Wherever a teacher is located in relation to a student—even when the teacher's back is turned—students can hear clearly.<sup>2, 12</sup>

## Conclusion

Classroom amplification systems help schools meet the needs of students and teachers by distributing sound throughout the room, effectively reducing the distance from the teacher's voice for every student, no matter where they are seated. Students in amplified classrooms receive maximum speech intelligibility and teachers experience a reduction in voice strain and freedom to move around the classroom.

Studies show that classroom amplification systems have a positive impact on student academic achievement, speech recognition, listening abilities, and teacher vocal health. The use of classroom amplification systems has also proven to help create an improved classroom environment, as indicated by fewer distractions, increased student attention, increased on-task behavior, and reduced teacher redirection.

When selecting classroom amplification equipment, it is important to understand the technology options available as well as the particular needs of the classrooms in which the systems will be installed. Selecting professional grade equipment from a manufacturer with experience in the education market will ensure the desired results are achieved.

Extron Electronics has extensive experience developing and delivering A/V technology solutions for schools and universities.

For more information, visit [www.extron.com/schools](http://www.extron.com/schools).

## References

- <sup>1</sup> Cole, W. (2006) Now Hear This. *Time Magazine*, October 16, 2006.
- <sup>2</sup> Rosenberg, G.G., Blake-Rahter, P., Heavner, J., Allen, L., Redmond, B.M., Phillips, J., et al. (1999). Improving classroom acoustics (ICA): A Three-Year FM Sound Field Classroom Amplification Study, *Journal of Educational Audiology*, 7, 8-28.
- <sup>3</sup> Fickes, M. (2003) The Sounds of a Sound Education. *School Planning and Management*. Retrieved from <http://www.peterli.com/archive/spm/535.shtml>
- <sup>4</sup> Crandell, C. & Smaldino, J. (1995). The importance of Room Acoustics. In R. Tyler & D. Schum (Eds.), *Assistive Listening Devices*. Allyn & Bacon: Needham Heights, MA.
- <sup>5</sup> Dahlquist, L.H. (1998). *Classroom Amplification: Not Just For the Hearing Impaired Anymore*. Paper presented at the California State University Northridge Center Conference, Los Angeles, CA, March 1998.
- <sup>6</sup> DeMallie, S., CPA. (2006). Can Children Hear in the Classroom? *Baltimore County PTA Council*. Retrieved from [http://classroomhearing.net/articles/BCPTA\\_May2006.pdf](http://classroomhearing.net/articles/BCPTA_May2006.pdf)
- <sup>7</sup> Crandell, C. & Smaldino, J. (1996). Speech Perception in Noise by Children for Whom English is a Second Language. *American Journal of Audiology* Vol.5 47-51 November 1996.
- <sup>8</sup> McSpurren, E. (1997). Towards Better Listening in the Classroom. *Educational Review*, 49, (1) 13-20.
- <sup>9</sup> Mainstream Amplification Resource Room Study. (2005a). *Tuning Up Our Classrooms*. Retrieved from <http://www.marrs-study.info/tuning-up.html>.
- <sup>10</sup> Mainstream Amplification Resource Room Study. (2005b). *Classroom Amplification FAQ*. Retrieved from <http://www.marrs-study.info/classroom-faq.html>.
- <sup>11</sup> Mainstream Amplification Resource Room Study. (2005c). *The Benefits of Classroom Amplification*. Retrieved from <http://www.marrs-study.info/student-benefits.html>.
- <sup>12</sup> Mainstream Amplification Resource Room Study. (2005d). *The MARRS Project: Mainstream Amplification Resource Room Study*. Retrieved from <http://www.marrs-study.info/marrs-study.html>.
- <sup>13</sup> Mainstream Amplification Resource Room Study. (2005e). *Measurable Classroom Amplification Results*. Retrieved from <http://www.marrs-study.info/measure-results.html>.
- <sup>14</sup> Flexer, C., Wray, D., & Ireland, J. (1989). Preferential Seating is Not Enough: Issues in Classroom Management of Hearing Impaired Students. *Language, Speech, and Hearing Sciences in Schools*, 20, 11-21.

- <sup>15</sup> e-School Solutions. (2005). *Sound Enhanced Classroom Technology*. Retrieved from <http://www.eschool-solutions.com/audioenhancement.htm>
- <sup>16</sup> Gertel, S.J., McCarty, P.J., & Schoff, L. (2004). High Performance Schools Equals High Performing Students. *Educational Facility Planner*, 39(3), 20-24.
- <sup>17</sup> Ford, A. D., Olmi, D. J., Edwards, R. P., & Tingstrom, D. H. (2001). *The sequential introduction of compliance training components with elementary-aged children in general education classroom settings*. *School Psychology Quarterly*, 16, 142-157.
- <sup>18</sup> Ross, M., & Levitt, H. (2002). *Classroom Sound-Field Systems*. Rehabilitation Engineering Research Center on Hearing Enhancement. Retrieved from [http://www.hearingresearch.org/Dr.Ross/classroom\\_sound\\_field\\_systems.htm](http://www.hearingresearch.org/Dr.Ross/classroom_sound_field_systems.htm).
- <sup>19</sup> Loven, F., Fisk, K., & Johnson, S. (2003). *Classroom Amplification Systems on Early Academic Achievement and Attention*. Poster session presentation at the American Speech-Language-Hearing Association Annual Convention, Chicago, IL.
- <sup>20</sup> Chelius, L. (2004). *Trost Amplification Study*. Canby, OR: Unpublished Manuscript, Canby School District.
- <sup>21</sup> Flexer, C. (2002). Rationale and Use of Sound Field Systems: An Update. *The Hearing Journal*, 55(8), 10-17.
- <sup>22</sup> McCarty, P.J., & Ure, A. (2003). The Effect Audio Enhanced Classrooms Have on Student Achievement and Teacher Instruction. *Collaborative of High Performance Schools*. Retrieved from [http://www.chps.net/links/pdfs/Abstract\\_BYU\\_Research6-031.pdf](http://www.chps.net/links/pdfs/Abstract_BYU_Research6-031.pdf).
- <sup>23</sup> Osborn, J., VonderEmbse, D., & Graves, L. (1989). *Development of a Model Program Using Sound Field Amplification for Prevention of Auditory-Based Learning Disabilities*. Unpublished Study, Putnam County Office of Education, Ottawa, OH.
- <sup>24</sup> Long, S., & Flexer, C. (2001). Sound Field Amplification For All. *Advance for Speech-Language Pathologists and Audiologists*, 11(27), 10-11.
- <sup>25</sup> Dairi, B. (2000). Using Sound Field FM Systems to Improve Literacy Scores. *Advance for Speech-Language Pathologists and Audiologists*, 10(27), 5,13.
- <sup>26</sup> Berg, F., Bateman, R., & Viehweg, S. (1989). *Sound field FM amplification in junior high school classrooms*. Paper presented at the American Speech-Language- Hearing Association Convention, St. Louis, MO., November, 1989.
- <sup>27</sup> Audio Enhancement. (2006). *Research Review (2003) of Audio Enhanced Classroom Technology*. Retrieved from <http://www.audioenhancement.com/ae/SiteDefault.aspx?pgid=55>.

- <sup>28</sup> Flexer, C. (2005). Turn on Sound: An Odyssey of Sound Field Amplification. *Mainstream Amplification Resource Room Study*. Retrieved from <http://www.marrs-study.info/turn-on.html>.
- <sup>29</sup> Allen, L., & Patton, D. (1990). *Effects of Sound Field Amplification on Students' On-Task Behavior*. Paper presented at the American Speech-Language-Hearing Convention, Seattle, WA, November 1990.
- <sup>30</sup> Allen, L. (1995). *The Effect of Sound-Field Amplification on Teacher Vocal Abuse Problems*. Paper presented at the Educational Audiology Association Conference, Lake Lure, NC.

Extron Electronics, headquartered in Anaheim, CA, is a leading manufacturer of professional A/V system integration products. Extron products are used to integrate video and audio into presentation systems in a wide variety of locations, including classrooms and auditoriums in schools and colleges, corporate board rooms, houses of worship, command-and-control centers, sports stadiums, airports, broadcast studios, restaurants, malls, and museums.

For additional information, please call an Extron Customer Support Representative at: 800.633.9876 (inside USA and Canada only) or 714.491.1500 for Extron USA; +800.3987.6673 (inside Europe only) or +31.33.453.4040 for Extron Europe; +800.7339.8766 or +65.6383.4400 for Extron Asia; +81.3.3511.7655 for Extron Japan.

[www.extron.com](http://www.extron.com)  
© 2008 All rights reserved.